

Clubhouse Supplements
 128 City Road
 London, EC1V2NX

Certificate ID # : 1227560-2
 Report Date: 06-07-2024
 Customer PO # :
 Receipt Date: 05-29-2024
 Sample Completion Date: 06-07-2024

Analytical Testing Results

Lab Sample ID: S-20240523-6898
 Customer Lot # NA

Serving Size: 5 Capsule(s)
 Calculated Serving Size: 3.7257750000 g

Description: Clubhouse Fire


Test Method Description	Analyte	Specification	Result	U/M	Completion Date
AOAC 2014.05/GL-451 Rapid Yeasts and Molds*	Yeasts and Molds	100 Max	<10	CFU/g	05-31-24
AOAC 990.12/GL-412 Aerobic Plate Count	Aerobic Plate Count	100000 Max	120	CFU/g	05-31-24
AOAC 991.14/GL-420 Coliforms*	Coliforms	1000 Max	<10	CFU/g	05-30-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Sildenafil	Report	Not Detected (<0.2)	ppm	06-03-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Tadalafil	Report	Not Detected (<0.2)	ppm	06-03-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Vardenafil	Report	Not Detected (<0.2)	ppm	06-03-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Sulfoildenafil	Report	Not Detected (<0.2)	ppm	06-03-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Desmethyl Carbodenafil	Report	Not Detected (<0.2)	ppm	06-03-24
GL-500 Determination of Arsenic by ICP*	Arsenic (As)	<1	0.0431	ppm	06-03-24
GL-500 Determination of Cadmium by ICP*	Cadmium (Cd)	<0.5	0.0516	ppm	06-03-24
GL-500 Determination of Calcium by ICP*	Calcium (Ca)	0.1 Min	2.35	mg/Serv	06-04-24
GL-500 Determination of Copper by ICP*	Copper (Cu)	0.1 Min	0.0188	mg/Serv	06-06-24
GL-500 Determination of Lead by ICP*	Lead (Pb)	<0.5	0.0455	ppm	06-03-24
GL-500 Determination of Mercury by ICP*	Mercury (Hg)	<0.5	0.0882	ppm	06-03-24

Test Method Description	Analyte	Specification	Result	U/M	Completion Date
GL-500 Determination of Zinc by ICP*	Zinc (Zn)	0.1 Min	30.6	mg/Serv	06-04-24
Nutraplex/GL-495 E. coli	E. coli	In: Negative	Negative	/10g	05-31-24
Nutraplex/GL-495 Salmonella	Salmonella	In: Negative	Negative	/10g	05-31-24
Nutraplex/GL-495 Staphylococcus aureus	Staph aureus	In: Negative	Negative	/10g	05-31-24

Laboratory Comments:

N/A

Reviewed By: Jose Rocha

Approved By: 

Date: 06-07-2024

Edgar Grigorian, Laboratory Director
On Behalf of Dyad Labs

Laboratory Notes:

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mériex NutriSciences assumes no responsibility, and client hereby waives all claims against Mériex NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mériex NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mériex NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Merieux NutriSciences Terms and Conditions for Services apply.

* - ISO/IEC 17025:2017 Accredited Test